

SAFETY DATA SHEET



Trimethylolpropane flake
10690

Version / Revision 2
Supersedes Version 1.02

Revision Date 06-May-2020
Issuing date 19-May-2020

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Identification of the
substance/preparation

Trimethylolpropane flake

CAS-No 77-99-6
EC No. 201-074-9
Registration number (REACH) 01-2119486799-10

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Intermediate
Polymerization
Uses advised against None

1.3. Details of the supplier of the safety data sheet

Company/Undertaking Identification **OQ Chemicals GmbH**
Rheinpromenade 4A
D-40789 Monheim
Germany

OQ Chemicals Corporation
15375 Memorial Drive
West Memorial Place I
Suite 300
Houston, TX 77079
USA

Product Information Product Stewardship
FAX: +49 (0)208 693 2053
email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number +65 3158 1198 (available 24/7)
000800 100 7479 (for domestic shipments only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This substance is classified based on Directive 1272/2008/EC and its amendments (CLP Regulation)

Reproductive toxicity Category 2, H361

Additional information

For full text of Hazard- and EU Hazard-statements see SECTION 16.

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date
Version / Revision

06-May-2020
2

2.2. Label elements

Labelling according to Regulation 1272/2008/EC and its amendments (CLP Regulation).

Hazard pictograms



Signal word

Warning

Hazard statements

H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements

P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P308 + P313: IF exposed or concerned: Get medical advice/ attention.
P405: Store locked up.
P501: Dispose of contents/container in accordance with local regulation.

2.3. Other hazards

Dust can form an explosive mixture in air

PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition / information on ingredients

3.1. Substances

Component	CAS-No	REACH-No	1272/2008/EC	Concentration (%)
Trimethylolpropane (TMP)	77-99-6	01-2119486799-10	Repr. 2; H361fd	> 98,0

For full text of Hazard- and EU Hazard-statements see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date
Version / Revision

06-May-2020
2

Skin

Wash off immediately with plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms

cough.

Special hazard

Lung irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically. If ingested, irrigate the stomach using activated charcoal.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO₂), water spray

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of:

carbon monoxide (CO)

carbon dioxide (CO₂)

Combustion gases of organic materials must in principle be graded as inhalation poisons

Dust can form an explosive mixture in air

5.3. Advice for firefighters

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date
Version / Revision

06-May-2020
2

eyes. Do not breathe dust. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition.
For emergency responders: Personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

Methods for cleaning up

Use mechanical handling equipment. Keep in suitable, closed containers for disposal. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid dust formation. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Advice on the protection of the environment

See Section 8: Environmental exposure controls.

Incompatible products

strong oxidizing agents

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Risk of dust explosion in fine crystalline powder form. Dust can form an explosive mixture in air. Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material.

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care. Protect from moisture.

Unsuitable material

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date
Version / Revision

06-May-2020
2

None known

Temperature class
T2

7.3. Specific end use(s)

Intermediate
Polymerization

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Exposure limits India

No exposure limits established.

8.2. Exposure controls

Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

Personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe dust or mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Respiratory protection

Respirator with a dust filter. Full mask with above mentioned filter according to producers using requirements or self-contained breathing apparatus. Equipment should conform to EN 136 or EN 140 and EN 143.

Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material	nitrile rubber
Evaluation	according to EN 374: level 6
Glove thickness	approx 0,55 mm
Break through time	> 480 min
Suitable material	polyvinylchloride / nitrile rubber
Evaluation	according to EN 374: level 6
Glove thickness	approx 0,9 mm
Break through time	> 480 min

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date
Version / Revision

06-May-2020
2

Eye protection

Tightly fitting safety goggles.
Equipment should conform to EN 166

Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

Environmental exposure controls

Use product only in closed system. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Flakes wax like
Colour	white
Odour	odourless
Odour threshold	No data available
pH	5,6 @ 25 °C (77 °F)
Melting point/range	58 °C
Boiling point/range	304 °C @ 1013 hPa
Flash point	149 - 180 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Lower explosion limit	2 Vol %
Upper explosion limit	11,8 Vol %

Vapour pressure

Values [hPa]	Values [kPa]	Values [atm]	@ °C	@ °F	Method
< 0,001	< 0,0001	< 0,0001	20	68	
Vapour density 4,63 (Air = 1) @ 20 °C (68 °F)					

Relative density

Values	@ °C	@ °F	Method
1,084 - 1,09	20	68	

Solubility 100 - 1000 g/l @ 20 °C, in water

log Pow -0,47 (measured)

Autoignition temperature ~ 375 °C

Method DIN 51794

Decomposition temperature No data available

Viscosity No data available

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups associated with oxidizing properties

Explosive properties Does not apply, substance is not explosive. There are no chemical groups associated with explosive properties

9.2. Other information

Molecular weight 134,17
Molecular formula C6 H14 O3
hygroscopic.

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date
Version / Revision

06-May-2020
2

SECTION 10: Stability and Reactivity

10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Dust can form an explosive mixture in air.

10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

10.5. Incompatible materials

strong oxidizing agents.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure Ingestion, Inhalation, Eye contact, Skin contact

Acute toxicity				
Trimethylolpropane (TMP) (77-99-6)				
Routes of Exposure	Endpoint	Values	Species	Method
Oral	LD50	~ 14700 mg/kg	rat, male	OECD 401
Dermal	LD50	> 10000 mg/kg	rabbit	OECD 402
Inhalative	LC50	> 0,85 mg/l (4h)	rat, male	

Trimethylolpropane (TMP), CAS: 77-99-6

Assessment

Based on available data, the classification criteria are not met for:

Acute oral toxicity

Acute dermal toxicity

Acute inhalation toxicity

STOT SE

Irritation and corrosion				
Trimethylolpropane (TMP) (77-99-6)				
Target Organ Effects	Species	Result	Method	
Skin	rabbit	No skin irritation		

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date
Version / Revision

06-May-2020
2

Eyes	rabbit	No eye irritation		
------	--------	-------------------	--	--

Trimethylolpropane (TMP), CAS: 77-99-6

Assessment

Based on available data, the classification criteria are not met for:
skin irritation/corrosion
eye irritation/corrosion
For respiratory irritation, no data are available

Sensitization

Trimethylolpropane (TMP) (77-99-6)

Target Organ Effects	Species	Evaluation	Method	
Skin	mouse	not sensitizing	OECD 429	

Trimethylolpropane (TMP), CAS: 77-99-6

Assessment

Based on available data, the classification criteria are not met for:
Skin sensitization
For respiratory sensitization, no data are available

Subacute, subchronic and prolonged toxicity

Trimethylolpropane (TMP) (77-99-6)

Type	Dose	Species	Method	
Subchronic toxicity	NOAEL: ~ 67 mg/kg/d (90d)	rat, male/female		Oral

Trimethylolpropane (TMP), CAS: 77-99-6

Assessment

Based on available data, the classification criteria are not met for:
STOT RE

Carcinogenicity, Mutagenicity, Reproductive toxicity

Trimethylolpropane (TMP) (77-99-6)

Type	Dose	Species	Evaluation	Method	
Mutagenicity		Salmonella typhimurium	negative	OECD 471 (Ames)	In vitro study
Mutagenicity		CHL	negative	OECD 473 (Chromosomal Aberration)	In vitro study
Mutagenicity		V79 cells, Chinese hamster	negative	OECD 476 (Mammalian Gene Mutation)	In vitro study
Reproductive toxicity	NOAEL 800 mg/kg/d	rat, parental		OECD 422, Oral	in vivo
Reproductive toxicity	NOAEL 800 mg/kg/d	rat, 1. Generation, male/female		OECD 422, Oral	in vivo
Reproductive toxicity	NOAEL: 740 ppm	rat rat, parental		OECD 443 Oral	in vivo
Reproductive toxicity	NOAEL: 2200 ppm	rat, 1. Generation, male/female		OECD 443 Oral	in vivo
Developmental Toxicity	NOAEL 100 mg/kg/d	rat		OECD 414, Oral	in vivo

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date 06-May-2020
Version / Revision 2

Developmental Toxicity	NOAEL 100 mg/kg/d	rabbit		OECD 414, Oral	in vivo
------------------------	-------------------	--------	--	----------------	---------

Trimethylolpropane (TMP), CAS: 77-99-6

CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

The substance has been classified as:

Repr. 2

Evaluation

In vitro tests did not show mutagenic effects

In the absence of specific alerts no cancer testing is required

Suspected of damaging fertility or the unborn child

Trimethylolpropane (TMP), CAS: 77-99-6

Main symptoms

cough.

Target Organ Systemic Toxicant - Single exposure

Based on available data, the classification criteria are not met for:

STOT SE

Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:

STOT RE

Aspiration toxicity

no data available

Note

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

<http://echa.europa.eu/information-on-chemicals/registered-substances>.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity			
Trimethylolpropane (TMP) (77-99-6)			
Species	Exposure time	Dose	Method
Daphnia magna (Water flea)	48h	EC50: 13000 mg/l	
Alburnus alburnus	96h	LC50: > 1000 mg/l	DEV L8
Pseudokirchneriella subcapitata	72h	EC50: > 1000 mg/l	
Activated sludge (domestic)	3 h	EC50: > 1000 mg/l	DIN 38412, part 11

Long term toxicity			
Trimethylolpropane (TMP) (77-99-6)			
Type	Species	Dose	Method
Mortality	Daphnia magna (Water flea)	NOEC: > 1000 mg/l (21d)	

12.2. Persistence and degradability

Trimethylolpropane (TMP), CAS: 77-99-6

Biodegradation

6 % (28 d), activated sludge, industrial, non-adapted, OECD 301 E, Not readily biodegradable,

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date
Version / Revision

06-May-2020
2

100 % (28 d), activated sludge, OECD 302 B (Zahn-Wellens Test), Inherently biodegradable.

Abiotic Degradation		
Trimethylolpropane (TMP) (77-99-6)		
Type	Result	Method
Hydrolysis	Half-life (DT50): > 356 d @ 25°C	OECD 111
Photolysis	Half-life (DT50): 1,2 days	calculated

12.3. Bioaccumulative potential

Trimethylolpropane (TMP) (77-99-6)		
Type	Result	Method
log Pow	-0,47	measured
log BCF	< 2	calculated, OECD 305 C

12.4. Mobility in soil

Trimethylolpropane (TMP) (77-99-6)		
Type	Result	Method
Surface tension	71 mN/m @ 20 °C (68 °F)	measured
Adsorption/Desorption	Koc: 1,5	calculated
Distribution to environmental compartments	Air: 0,32 Soil: 59,7 Water: 39,9 Sediment: 0,07	Calculation according Mackay, Level III

12.5. Results of PBT and vPvB assessment

Trimethylolpropane (TMP), CAS: 77-99-6

PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

12.6. Other adverse effects

Trimethylolpropane (TMP), CAS: 77-99-6

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Hazardous waste according to European Waste Catalogue (EWC)

Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date
Version / Revision

06-May-2020
2

SECTION 14: Transport information

Section 14.1 - 14.6

ICAO-TI / IATA-DGR

Not restricted

IMDG

Not restricted

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation 1272/2008, Annex VI
not listed

International Inventories

Trimethylolpropane (TMP), CAS: 77-99-6

AICS (AU)
DSL (CA)
IECSC (CN)
EC-No. 2010749 (EU)
ENCS (2)-245 (JP)
ISHL (2)-245 (JP)
KECI KE-13838 (KR)
INSQ (MX)
PICCS (PH)
TSCA (US)
NZIoC-NZ May be used as single component chemical
TCSI (TW)

National regulatory information India

Hazardous Chemicals, Schedule 2: Threshold Quantities at an Isolated Storage
not listed

Hazardous Chemicals, Schedule 3: Threshold Quantities in an Industrial Installation
not listed

For details and further information please refer to the original regulation.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.

SAFETY DATA SHEET



10690
Trimethylolpropane flake

Revision Date
Version / Revision

06-May-2020
2

Abbreviations

A table of terms and abbreviations can be found under the following link:
http://echa.europa.eu/documents/10162/13632/information_requirements_r20_en.pdf

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

Further information for the safety data sheet

Changes against the previous version are marked by ***. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.oq.com).

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet